

Policy for Chalazia Removal

Ref:	LSCICB_Clin21
Version:	2.0
Purpose	This document is part of a suite of policies that the Integrated Care Board (ICB) uses to drive its commissioning of healthcare. Each policy in that suite is a separate public document in its own right but will be applied with reference to other policies in that suite.
Supersedes:	1.1
Author (inc Job Title):	Clinical Policy Group
Ratified by: (Name of responsible Committee)	Quality and Outcomes Committee
Cross reference to other Policies/Guidance	
Date Ratified:	5 November 2025
Date Published and where (Intranet or Website):	15 January 2026 Website
Review date:	November 2028
Target audience:	All LSCICB Staff

This policy can only be considered valid when viewed via the ICB website or ICB staff intranet. If this document is printed into hard copy or saved to another location, you must check that the version number on your copy matches that of the one published.

Document control:		
Date:	Version Number:	Section and Description of Change
07.03.2019	V1	Policy ratified by Healthier Lancashire and South Cumbria's Joint Committee of Clinical Commissioning Groups (JCCCGs)
July 2022	V1.1	Policy adopted by Lancashire and South Cumbria ICB – references to CCG replaced by ICB where relevant
November 2025	V2.0	Minor change to point 1.1. Jan 2026: Minor criteria/terminology/pathway clarification following evidence review and template migration. No change to commissioning intent or expected activity

1. Policy

1.1 The ICB will commission chalazion removal via either incision and curettage or triamcinolone injection, whichever is deemed clinically appropriate, when one or more of the following criteria are satisfied.

The chalazion:

- 1.1.1 Has been present for more than 6 months and has been managed conservatively with warm compresses, lid cleaning and massage for 4 weeks
OR
- 1.1.2 Interferes significantly with vision
OR
- 1.1.3 Interferes with the protection of the eye by the eyelid due to altered lid closure or lid anatomy
OR
- 1.1.4 Is a source of infection that has required medical attention twice or more within a six-month time frame
OR
- 1.1.5 Is a source of infection causing an abscess which requires drainage

2. Scope and definitions

- 2.1 This policy is based on the ICBs Statement of Principles for Commissioning of Healthcare (version in force on the date on which this policy is adopted).
- 2.2 A chalazion or meibomian cyst is a benign lesion on the eyelid caused by the blockage of the meibomian gland duct resulting in the retention and stagnation of secretions. It may occur spontaneously or follow an acute internal hordeolum (sty).
- 2.3 When conservative management fails, it can be effectively managed by incision and curettage of the cyst or injection of triamcinolone (a steroid preparation) into the cyst.
- 2.4 Incision and curettage is a form of treatment which involves cutting open the chalazion and scraping away its content.
- 2.5 The scope of this policy includes requests for the removal of chalazion in both adults and children.
- 2.6 The scope of this policy does not include the following:
 - Suspected malignancies of the eyelid.
 - Other lesions of the eyelid which may be considered valid differential diagnoses for chalazion (e.g. stye, sebaceous cyst).
- 2.7 If a malignancy (cancer) is suspected based on features such as recurrence of a previously treated chalazion, or atypical features such as distortion of the eyelid

margin, malarosis, ulceration, or bleeding, the cancer referral pathway should be followed.

- 2.8 The ICB recognises that a patient may have certain features, such as:
 - having a chalazion
 - wishing to have a service provided for the removal of chalazion
 - being advised that they are clinically suitable for chalazion removal, and
 - be distressed by their chalazion, and by the fact that they may not meet the criteria specified in this commissioning policy.
- 2.9 Such features place the patient within the group to whom this policy applies and do not make them exceptions to it.

3. Appropriate Healthcare

- 3.1 The purpose of chalazia removal is normally to resolve symptoms, such as impaired vision or recurrent infections associated with the presence of a chalazion.
- 3.2 The ICB regards the achievement of this purpose as according with the Principle of Appropriateness. Therefore, this policy does not rely on the principle of appropriateness. Nevertheless, if a patient is considered exceptional in relation to the principles on which the policy does rely, the ICB may consider the principle of appropriateness in the particular circumstances of the patient in question before confirming a decision to provide funding.

4. Effective Healthcare

- 4.1 This policy relies on the criterion of effectiveness as the ICB recognises that in many cases chalazia do not cause any symptoms. Interventions to remove chalazia carry risks including infection, bleeding and scarring in addition to a risk to the eye and vision.
- 4.2 The ICB therefore considers that, in the absence of the symptoms outlined at section 1.1 of the policy, the potential risks associated with chalazion removal outweigh the potential benefits.

5. Cost Effectiveness

- 5.1 The ICB does not call into question the cost-effectiveness of chalazion removal and therefore this policy does not rely on the Principle of Cost-Effectiveness.
- 5.2 Nevertheless, if a patient is considered exceptional in relation to the principles on which the policy does rely, the ICB may consider whether the treatment is likely to be cost-effective in this patient before confirming a decision to provide funding.

6. Ethics

- 6.1 The ICB does not call into question the ethics of chalazia removal and therefore this policy does not rely on the Principle of Ethics.
- 6.2 Nevertheless, if a patient is considered exceptional in relation to the principles on which the policy does rely, the ICB may consider whether the treatment is likely to raise ethical concerns in this patient before confirming a decision to provide funding.

7. Affordability

- 7.1 The ICB does not call into question the affordability of chalazia removal and therefore this policy does not rely on the Principle of Affordability.
- 7.2 Nevertheless, if a patient is considered exceptional in relation to the principles on which the policy does rely, the ICB may consider whether the treatment is likely to be affordable in this patient before confirming a decision to provide funding.

8. Exceptions

- 8.1 The ICB will consider exceptions to this policy in accordance with the Policy for Considering Applications for Exceptionality to Commissioning Policies.
- 8.2 In the event of inconsistency, this policy will take precedence over any non-mandatory NICE guidance in driving decisions of this ICB. A circumstance in which a patient satisfies NICE guidance but does not satisfy the criteria in this policy does not amount to exceptionality.

9. Force

- 9.1 This policy remains in force until it is superseded by a revised policy or by mandatory NICE guidance relating to this intervention, or to alternative treatments for the same condition.
- 9.2 In the event of NICE guidance referenced in this policy being superseded by new NICE guidance, then:
 - If the new NICE guidance has mandatory status, then that NICE guidance will supersede this policy with effect from the date on which it becomes mandatory.
 - If the new NICE guidance does not have mandatory status, then the ICB will aspire to review and update this policy accordingly. However, until the ICB adopts a revised policy, this policy will remain in force and any references in it to NICE guidance will remain valid as far as the decisions of this ICB are concerned.

10. References

- The College of Optometrists. Chalazion (Meibomian cyst) Clinical Management Guidelines Version 16. 2023 February 20 2023 [cited 2024 March]; Available from: https://www.college-optometrists.org/clinical-guidance/clinical-management-guidelines/chalazion_meibomian cyst.

- Academy of Medical Royal Colleges. Chalazia Removal. 2023 December 2023 [cited 2024 March]; Available from: <https://ebi.aomrc.org.uk/interventions/chalazia-removal/>.
- National Institute for Health and Care Excellence. Meibomian cyst (chalazion). 2024 January 2024 [cited 2024 March]; Available from: <https://cks.nice.org.uk/topics/meibomian-cyst-chalazion/>.
- Nabie, R., et al., A prospective randomized study comparing incision and curettage with injection of triamcinolone acetonide for chronic chalazia. *J Curr Ophthalmol*, 2019. 31(3): p. 323-326.
- Tashbayev, B., X. Chen, and T.P. Utheim, Chalazion Treatment: A Concise Review of Clinical Trials. *Current Eye Research*, 2024. 49(2): p. 109-118.

11. Associated OPCS/ICD codes

OPCS codes
C121, C122, C123, C124, C125, C126, C128, C129 - Removal of chalazion
ICD-10 (Exceptions)
H000 - Infection
ICD codes
H001 -Chalazion